

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	247	DHCP\$2 with over\$2 with IP\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 18:22
S2	24	DHCP\$2 with over\$2 with (mobile\$2 or cell\$2 or cell\$1phone\$2 or phone\$2 or wire\$1less\$3 or wireless\$4) with IP\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 18:24
S3	20631494	@ad<"20010425"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 18:24
S4	6	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 18:29
S5	0	((foreign\$2 and home\$2 and BOOTP\$2) adj3 agent\$2) SAME DHCP\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 18:30
S6	0	((foreign\$2 and home\$2) adj3 agent\$2) SAME DHCP\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 18:30
S7	0	((foreign\$2 and home\$2) same agent\$2) SAME DHCP\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 18:30
S8	1	((foreign\$2 and home\$2 and BOOTP\$2) with agent\$2) SAME DHCP\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 18:34
S9	1	((foreign\$2 and home\$2 and BOOTP\$2) with agent\$2) AND DHCP\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 18:35

S10	103	((foreign\$2 and home\$2) with agent\$2) SAME DHCP\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 18:35
S11	39	S10 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 18:45
S12	1	S11 and BOOTP\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 18:36
S13	26	(source\$2 with IP\$2 with address\$2) near3 ("0" or zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 18:46
S14	7	S13 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:25
S15	2	"6856624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:33
S16	32741	address\$2 adj4 ("0" or zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:34
S17	20631494	@ad<"20010425"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:34
S18	2382	address\$2 adj3 set\$4 adj4 ("0" or zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:39
S19	1845	S18 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:35

S20	14	S19 and DHCP\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:35
S21	30	source\$2 adj3 address\$2 adj3 set\$4 adj4 ("0" or zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:44
S22	8	S21 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:45
S23	0	S22 and DHCP\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:44